

HMIS Ratings:

Health: 1

Flammability: 0

Reactivity: 1

E/Z Roller Cleaner**MATERIAL SAFETY DATA SHEET**

APPLICATION

Water-based cleaner

PRODUCT DESCRIPTION

Clear liquid solution

Emergency Telephone Number: 1-800-424-9300

Manufacturer Telephone Number: 1-800-797-9244

HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Ethylene glycol monobutyl ether

CAS# 000111-76-2

Sodium hydroxide, anhydrous

CAS# 000310-73-2

HEALTH INFORMATION & FIRST AID TREATMENT**FIRST AID: -****EYE CONTACT:** Immediately flush eyes with water. Get immediate medical attention.**SKIN CONTACT:** Immediately flush skin with water. Remove clothing. Get medical attention. Wash clothing separately before reuse.**INHALATION:** Remove to fresh air. Get immediate medical attention. If breathing is difficult, give oxygen.**INGESTION:** Give glass of water if conscious. Do NOT induce vomiting. Call a poison control center or physician immediately. Never give anything by mouth to an unconscious person.**HEALTH HAZARDS ó TOXICOLOGY:-**

No product or component toxicological information is available.

E/Z Roller Cleaner
MATERIAL SAFETY DATA SHEET

PERSONAL PROTECTION

Where safety glasses with side shields. Where skin contact is likely, wear chemical resistant gloves and rubber boots. A respiratory protection program that meets OSHA requirements must be followed whenever workplace conditions warrant a respirator's use.

FIRE AND EXPLOSION HAZARD DATA

Flash Point: 143 F

Explosive Limits: Lower limit: 1.1% Upper limit: 17.0%

SPILL CONTROL PROCEDURE

Absorb spill with inert material (dry sand or earth), place in chemical waste container.

PHYSICAL & CHEMICAL PROPERTIES

Chemical Name: None (Material is a proprietary mixture)

Specific Gravity (Water = 1): 1.0314

Boiling Range: 212° F/ 100°C - 339° F/170.5° C

Evaporation Rate: Is slower than Butyl Acetate

Freezing Point: N.D.

pH: 12.5 ó 13.0

E/Z Roller Cleaner**MATERIAL SAFETY DATA SHEET**

STABILITY AND REACTIVITY

Stability: This product is stable under normal storage conditions.

Incompatibility: Strong oxidizers, aluminum, acids, alkalis, amines, halogens. Product is a strong caustic alkali. May react with acid and a number of organic compounds. It also reacts with bronze and brass.

Hazardous Decomposition Products: May liberate carbon monoxide or carbon dioxide. Upon decomposition, ammonia vapors are liberated.

Hazardous Polymerization: Will not occur under normal conditions.

TRANSPORTATION & STORAGE

DOT Proper Shipping Name: Caustic Alkali Liquids, NOS

DOT Technical Name: Sodium Hydroxide

DOT Hazard Class: 8

DOT UN/NA Number: UN1719 **Packing Group:** III **Resp. Guide Page:** 154

STORAGE: Keep container closed when not in use. Avoid storing next to strong acids. This product should be stored in clean, dry areas. Avoid excessive heat.

The information herein is given in good faith and to the best of our knowledge. No warranty, express or implied, is made.